

Single Hung Round Top G2

RT21 And RT22 Standard Sizes Operators

RO (mm) RO Rad. (mm)	1-10 1/4 (565) 3-4 1/2 (1029)	2-2 1/4 (667) 3-4 1/2 (1029)	2-6 1/4 (768) 4-6 1/2 (1384)	2-8 1/4 (819) 6-0 1/2 (1842)	2-10 1/4 (870) 6-0 1/2 (1842)	3-0 1/4 (921) 6-0 1/2 (1842)
RO (mm) RO Spln. (mm)	3-2 7/64 (968) 2-7 25/32 (807)	3-4 63/64 (1041) 2-7 47/64 (806)	3-4 39/64 (1031) 2-7 49/64 (807)	3-3 9/64 (994) 2-7 13/16 (808)	3-4 9/64 (1019) 2-7 51/64 (808)	3-5 7/32 (1047) 2-7 51/64 (808)
	 USHRTG2 1612	 USHRTG2 2012	 USHRTG2 2412	 USHRTG2 2612	 USHRTG2 2812	 USHRTG2 3012
	 USHRTG2 1614	 USHRTG2 2014	 USHRTG2 2414	 USHRTG2 2614	 USHRTG2 2814	 USHRTG2 3014
	 USHRTG2 1616	 USHRTG2 2016	 USHRTG2 2416	 USHRTG2 2616	 USHRTG2 2816	 USHRTG2 3016
	 USHRTG2 1618	 USHRTG2 2018	 USHRTG2 2418	 USHRTG2 2618	 USHRTG2 2818	 USHRTG2 3018
	 USHRTG2 1620	 USHRTG2 2020	 USHRTG2 2420	 USHRTG2 2620	 USHRTG2 2820	 USHRTG2 3020
	 USHRTG2 1622	 USHRTG2 2022	 USHRTG2 2422	 USHRTG2 2622	 USHRTG2 2822	 USHRTG2 3022
	 USHRTG2 1624	 USHRTG2 2024	 USHRTG2 2424	 USHRTG2 2624	 USHRTG2 2824	 USHRTG2 3024
	 USHRTG2 1626	 USHRTG2 2026	 USHRTG2 2426	 USHRTG2 2626	 USHRTG2 2826	 USHRTG2 3026
	 USHRTG2 1628	 USHRTG2 2028	 USHRTG2 2428	 USHRTG2 2628	 USHRTG2 2828	 USHRTG2 3028 E
RO (mm) RO Spln. (mm)	5-10 7/64 (1781) 5-3 25/32 (1620)	6-0 63/64 (1854) 5-3 47/64 (1619)	6-0 39/64 (1844) 5-3 49/64 (1620)	4-11 13/16 (1519) 5-3 13/16 (1621)	6-0 9/64 (1832) 5-3 51/64 (1621)	6-1 7/32 (1860) 5-3 51/64 (1620)

ULTIMATE SINGLE HUNG ROUND TOP G2: USHRTG2


Single Hung Round Top G2

RT21 And RT22 Standard Sizes Operators

RO (mm) RO Rad. (mm)	3-2 1/4 (972) 6-0 1/2 (1842)	3-6 1/4 (1073) 7-0 1/2 (2146)	3-10 1/4 (1175) 7-0 1/2 (2146)	4-2 1/4 (1276) 9-0 1/2 (2756)	4-6 1/4 (1378) 9-0 1/2 (2756)	5-0 1/4 (1530) 9-0 1/2 (2756)
RO (mm) RO Spln. (mm)	3-6 25/64 (1077) 2-7 25/32 (807)	3-6 53/64 (1088) 2-7 51/64 (808)	3-9 15/64 (1149) 2-7 49/64 (807)	3-7 7/8 (1115) 2-7 13/16 (808)	3-10 1/16 (1169) 2-7 13/16 (807)	4-1 3/4 (1262) 2-7 13/16 (807)
						
	USHRTG2 3212	USHRTG2 3612	USHRTG2 4012	USHRTG2 4412	USHRTG2 4812	USHRTG2 5412
						
	USHRTG2 3214	USHRTG2 3614	USHRTG2 4014	USHRTG2 4414	USHRTG2 4814	USHRTG2 5414
						
	USHRTG2 3216	USHRTG2 3616	USHRTG2 4016	USHRTG2 4416	USHRTG2 4816	USHRTG2 5416
						
	USHRTG2 3218	USHRTG2 3618	USHRTG2 4018	USHRTG2 4418	USHRTG2 4818	USHRTG2 5418
						
	USHRTG2 3220	USHRTG2 3620	USHRTG2 4020	USHRTG2 4420	USHRTG2 4820	USHRTG2 5420
						
	USHRTG2 3222	USHRTG2 3622	USHRTG2 4022	USHRTG2 4422	USHRTG2 4822	USHRTG2 5422
						
	USHRTG2 3224	USHRTG2 3624	USHRTG2 4024	USHRTG2 4424	USHRTG2 4824	USHRTG2 5424
						
	USHRTG2 3226 E	USHRTG2 3626 E	USHRTG2 4026 E	USHRTG2 4426 E	USHRTG2 4826 E	USHRTG2 5426 E
						
	USHRTG2 3228 E	USHRTG2 3628 E	USHRTG2 4028 E	USHRTG2 4428 E	USHRTG2 4828 E	USHRTG2 5428 E
						
	USHRTG2 3228 E	USHRTG2 3628 E	USHRTG2 4028 E	USHRTG2 4428 E	USHRTG2 4828 E	USHRTG2 5428 E










Single Hung Round Top G2

RT21 And RT22 Standard Sizes Operators

RO (mm)	1-10 1/4 (565)	2-2 1/4 (667)	2-6 1/4 (768)	2-8 1/4 (819)	2-10 1/4 (870)	3-0 1/4 (921)
RO Rad. (mm)	3-4 1/2 (1029)	3-4 1/2 (1029)	4-6 1/2 (1384)	6-0 1/2 (1842)	6-0 1/2 (1842)	6-0 1/2 (1842)
						
	6-2 7/64 (1882) 5-7 25/32 (1721)	6-4 63/64 (1955) 5-7 47/64 (1721)	6-4 39/64 (1946) 5-7 49/64 (1721)	6-3 9/64 (1908) 5-7 13/16 (1722)	6-4 9/64 (1934) 5-7 51/64 (1722)	6-5 7/32 (1941) 5-7 51/64 (1722)
	USHRTG2 1630	USHRTG2 2030	USHRTG2 2430	USHRTG2 2630	USHRTG2 2830 E	USHRTG2 3030 E
						
	6-6 7/64 (1984) 5-11 25/32 (1823)	6-8 63/64 (2057) 5-11 47/64 (1822)	6-8 39/64 (2047) 5-11 49/64 (1823)	6-7 9/64 (2010) 5-11 13/16 (1824)	6-8 9/64 (2035) 5-11 51/64 (1824)	6-9 7/32 (2063) 5-11 51/64 (1824)
	USHRTG2 1632	USHRTG2 2032	USHRTG2 2432	USHRTG2 2632 E	USHRTG2 2832 E	USHRTG2 3032 E
						
	6-10 7/64 (2086) 6-3 25/32 (1925)	7-0 63/64 (2158) 6-3 47/64 (1924)	7-0 39/64 (2149) 6-3 49/64 (1925)	6-11 9/64 (2112) 6-3 13/16 (1926)	7-0 9/64 (2137) 6-3 51/64 (1925)	7-1 7/32 (2165) 6-3 51/64 (1925)
	USHRTG2 1634	USHRTG2 2034	USHRTG2 2434 E	USHRTG2 2634 E	USHRTG2 2834 E	USHRTG2 3034 E
						
	7-2 7/64 (2187) 6-7 25/32 (2026)	7-4 39/64 (2260) 6-7 47/64 (2025)	7-4 39/64 (2251) 6-7 49/64 (2026)	7-3 9/64 (2213) 6-7 13/16 (2027)	7-4 9/64 (2239) 6-7 51/64 (2027)	7-5 7/32 (2266) 6-7 51/64 (2027)
	USHRTG2 1636	USHRTG2 2036	USHRTG2 2436 E	USHRTG2 2636 E	USHRTG2 2836 E	USHRTG2 3036 E
						
	7-10 7/64 (2390) 7-3 25/32 (2229)	8-0 63/64 (2463) 7-3 47/64 (2229)	8-0 39/64 (2454) 7-3 49/64 (2229)	7-11 9/64 (2416) 7-3 13/16 (2230)	8-0 9/64 (2442) 7-3 51/64 (2230)	8-1 7/32 (2469) 7-3 51/64 (2230)
	USHRTG2 1640	USHRTG2 2040 E	USHRTG2 2440 E	USHRTG2 2640 E	USHRTG2 2840 E	USHRTG2 3040 E
						
	8-2 7/64 (2492) 7-7 25/32 (2331)	8-4 63/64 (2565) 7-7 47/64 (2330)	8-4 39/64 (2555) 7-7 49/64 (2331)	8-3 9/64 (2518) 7-7 13/16 (2332)	8-4 9/64 (2543) 7-7 51/64 (2332)	8-5 7/32 (2571) 7-7 51/64 (2332)
	USHRTG2 1642	USHRTG2 2042 E	USHRTG2 2442 E	USHRTG2 2642 E	USHRTG2 2842 E	USHRTG2 3042 E
						
	9-6 7/64 (2898) 8-11 25/32 (2737)	9-8 63/64 (2971) 8-11 47/64 (2737)	9-7 49/64 (2831) 8-11 49/64 (2737)	9-7 9/64 (2924) 8-11 13/16 (2738)	9-8 9/64 (2950) 8-11 51/64 (2738)	9-10 25/64 (3007) 8-11 25/32 (2738)
	USHRTG2 1650	USHRTG2 2050 E	USHRTG2 2450 E	USHRTG2 2650 E	USHRTG2 2850 E	USHRTG2 3050 E
RO (mm)						
RO Spln. (mm)						

Single Hung Round Top G2

RT21 And RT22 Standard Sizes Operators

RO (mm) RO Rad. (mm)	3-2 1/4 (972) 6-0 1/2 (1842)	3-6 1/4 (1073) 7-0 1/2 (2146)	3-10 1/4 (1175) 7-0 1/2 (2146)	4-2 1/4 (1276) 9-0 1/2 (2756)	4-6 1/4 (1378) 9-0 1/2 (2756)	5-0 1/4 (1530) 9-0 1/2 (2756)
						
	6-6 25/64 (1991) 5-7 25/32 (1722)	6-6 53/64 (2002) 5-7 51/64 (1722)	6-9 15/64 (2063) 5-7 49/64 (1721)	6-7 7/8 (2029) 5-7 13/16 (1722)	6-10 1/16 (2084) 5-7 13/16 (1722)	7-1 3/4 (2177) 5-7 13/16 (1721)
	USHRTG2 3230 E	USHRTG2 3630 E	USHRTG2 4030 E	USHRTG2 4430 E	USHRTG2 4830 E	USHRTG2 5430 E
						
	6-10 25/64 (2093) 5-11 25/32 (1823)	6-10 53/64 (2104) 5-11 51/64 (1824)	7-1 15/64 (2165) 5-11 49/64 (1823)	6-11 7/8 (2131) 5-11 13/16 (1824)	7-2 1/16 (2185) 5-11 13/16 (1823)	7-5 3/4 (2278) 5-11 13/16 (1823)
	USHRTG2 3232 E	USHRTG2 3632 E	USHRTG2 4032 E	USHRTG2 4432 E	USHRTG2 4832 E	USHRTG2 5432 E
						
	7-2 25/64 (2194) 6-3 25/32 (1925)	7-2 53/64 (2205) 6-3 51/64 (1925)	7-5 15/64 (2266) 6-3 49/64 (1925)	7-3 7/8 (2232) 6-3 13/16 (1925)	7-6 1/16 (2287) 6-3 13/16 (1925)	7-9 3/4 (2380) 6-3 13/16 (1925)
	USHRTG2 3234 E	USHRTG2 3634 E	USHRTG2 4034 E	USHRTG2 4434 E	USHRTG2 4834 E	USHRTG2 5434 E
						
	7-6 25/64 (2296) 6-7 25/32 (2026)	7-6 53/64 (2307) 6-7 51/64 (2027)	7-9 15/64 (2368) 6-7 49/64 (2026)	7-7 7/8 (2334) 6-7 13/16 (2027)	7-10 1/16 (2389) 6-7 13/16 (2027)	8-1 3/4 (2482) 6-7 13/16 (2026)
	USHRTG2 3236 E	USHRTG2 3636 E	USHRTG2 4036 E	USHRTG2 4436 E	USHRTG2 4836 E	USHRTG2 5436 E
						
	8-2 25/64 (2499) 7-3 25/32 (2230)	8-2 53/64 (2510) 7-3 51/64 (2230)	8-5 15/64 (2571) 7-3 49/64 (2229)	8-3 7/8 (2537) 7-3 13/16 (2230)	8-6 1/16 (2592) 7-3 13/16 (2230)	8-9 3/4 (2685) 7-3 13/16 (2229)
	USHRTG2 3240 E	USHRTG2 3640 E	USHRTG2 4040 E	USHRTG2 4440 E	USHRTG2 4840 E	USHRTG2 5440 E
						
	8-6 25/64 (2601) 7-7 25/32 (2331)	8-6 53/64 (2612) 7-7 51/64 (2332)	8-9 15/64 (2673) 7-7 49/64 (2331)	8-7 7/8 (2639) 7-7 13/16 (2332)	8-10 1/16 (2693) 7-7 13/16 (2331)	9-1 3/4 (2786) 7-7 13/16 (2331)
	USHRTG2 3242 E	USHRTG2 3642 E	USHRTG2 4042 E	USHRTG2 4442 E	USHRTG2 4842 E	USHRTG2 5442 E
						
	9-10 25/64 (3007) 8-11 25/32 (2738)	9-10 53/64 (3018) 8-11 51/64 (2738)		9-11 7/8 (3045) 8-11 13/16 (2738)		
	USHRTG2 3250 E	USHRTG2 3650 E		USHRTG2 4450 E		
RO (mm) RO Spln. (mm)						